



**ORTHOPEDIC TOOL & SUPPLY CORP.**

**SPECIALIZING in O&P TOOLS for SAFER  
&  
EFFICIENT FABRICATION**



**2016 CATALOG**

Revision : 1


**1-800-665-1176**

**Mon.—Fri. 8am—4pm EST**

**[www.kovacicorthopedic.com](http://www.kovacicorthopedic.com)**

## **ABOUT US**

- The current primary focus of Kovacic Orthopedic Tool & Supply is to help make O & P fabrication Easier, Faster and Safer by providing the most reliable tool for a specific task, and multi-purpose tools for convenience.
- Our belief is that if you don't notice a benefit from the tool within a minutes use, the tool is probably not good enough, though certain tools may require a few tries to adapt and notice the benefit of their design.



Dan Kovacic R.T.O. (c)  
President

***Thank-you, Have a Safe & Productive Day !***

## **CONTACT :**

### **Kovacic Orthopedic Tool & Supply Corp.**

3910 Acorn Cres., Windsor ON, N8W 5R4, Canada  
269 Walker St., Unit # 515, Detroit MI, 48207, USA

Phone / Fax : 1-800-665-1176

Web: [www.kovacicorthopedic.com](http://www.kovacicorthopedic.com)

E-mail: [info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)



### PRICING

To receive our current price list please e-mail us at [info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com), include the following :

1. Your Name
2. Company Name
3. Phone / Fax / E-mail
4. Complete Address ( including country )

#### **Note:**

There is a \$ 60.00 Minimum Order & we offer a 15 day price match guarantee on all our products. All prices are in US Dollar with the exception of purchases made within Canada.

### PLACING AN ORDER

#### **OPTION :**

1. E-mail us at **[info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)**
2. Download the Online Order Form and email it to **[info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)**
3. Complete the Order Form at the end of the catalog and fax it to 519-997-6894 or email to **[info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)**
4. Call us at 1-800-665-1176 between 8am—4pm EST

### PAYMENT OPTIONS

- 1.) Visa / Mastercard
- 2.) PayPal ( No Account Needed ) ( Payment to **[info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)** )
- 3.) Cheque ( made to "Kovacic Orthopedic Tool & Supply Corp." )

### WARRANTY & LIABILITY

#### **WARRANTY :**

All of our products have with warranty as indicated under each product, and detailed Up-to-date information can be found on our website at [www.kovacicorthopedic.com/warrantyandliability](http://www.kovacicorthopedic.com/warrantyandliability).

#### **LIABILITY :**

The products we offer are tested for durability and reliability, and We (Kovacic Orthopedic Tool & Supply Corp.), Nor its Service Providers, will not be held Liable for Any Damages of Any Kind.


# TABLE OF CONTENTS

<u>CATEGORY</u>	<u>PAGE</u>
<u>METAL BENDING TOOLS.....</u>	<u>2—4</u>
<u>RIVETING TOOLS.....</u>	<u>5 - 8</u>
<u>VACUUM JIGS.....</u>	<u>9</u>
<u>CLAMPING JIGS.....</u>	<u>10 - 11</u>
<u>SHEARS.....</u>	<u>12—13</u>
<u>OTHER.....</u>	<u>14—17</u>



## [Multi-Bend & Clamp Jig \(MBCJ\) Vise](#)

### Benefits



### VIDEO

**in stock Order #: 02**

**Color : Texture Black**

**Available in Various Colors**

1. Allows all of your KAFO metal bending to be done over your cast.
2. Bend uprights 1/8" - 3/8" thick without any adjustments.
3. Close bends directly from the joint without the need of clamping it in a vise.
4. Safer anterior / posterior bends without slipping in the horizontal slots.
5. Safety channel to fit vise jaws up to 1" wide to prevent it from slipping out just in case the vise gets loose or if there is too much weight in the device.
6. Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
7. Hardened to limit wear, powder-coated to prevent rust 10 year warranty but it was made to last a lifetime
8. The MBCJ gets used every day, even when you don't bend metal, and when you do it is conveniently accessible.

## [Multi-Bend & Clamp Jig \(MBCJ\) Bench](#)



### Benefits

1. Allows all of your KAFO metal bending to be done over your cast.
2. Bend uprights 1/8" - 3/8" thick without any adjustments.
3. Close bends directly from the joint without the need of clamping it in a vise.
4. Safer anterior / posterior bends without slipping in the horizontal slots.
5. Bolts directly to the bench with 4 supplied 2-3/4" long grade 8 hex bolts, so there is no need for a vise.
6. Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
7. Hardened to limit wear, coated to prevent rust 10 year warranty but it was made to last a lifetime
8. The MBCJ gets used every day, even when you don't bend metal, and when you do it is conveniently accessible.

**in stock Order #: 142**

**Color : Texture Black**

**Small Offset Heavy Duty M-L / A-P Bending**



**in stock Order #: 99**

**Color : Silver ( Nickel )  
( Sold Individually )**

**Description**

1. Narrow slot for uprights up to 1/8" thick to allow bending of uprights at a closer point.
2. Only a 1/4" thick to get in between narrow spaces and aid in closer bends.
3. Horizontal slot near the edge for safe and close anterior / posterior bends, on uprights up to 5/8" (16mm) wide.
4. Offset design to access over hard to reach areas.
5. Made from fully hardened tool steel to limit wear, nickel coated to prevent rust & a 5 year warranty, but made to last a lifetime.

**Heavy Duty M-L / A-P Bending**



**in stock Order #: 07**

**Color : Texture Copper Vein  
( Sold Individually )**


**New Model in Design**

**Available in Various Colors Until Stock Clears**

**Description**

1. 13" long for increased leverage for up to 1/4" (6.4mm) thick uprights.
2. Extra deep vertical slots for total surface contact area when bending calf bands and better reach.
3. Horizontal slots to allow anterior / posterior bending of aluminum up to 3/16" (4.8mm) thick.
4. Made from fully hardened tool steel to limit wear, powder coated to prevent rust  
5 year warranty, but it was made to last a lifetime.

## Extended Heavy Duty M-L / A-P Bending Iron



**out of stock Order #: 100**


**Color : Texture Copper Vein  
( Sold Individually )**

**New Model in Design**

### Description

1. 15" length for maximum leverage for up to 1/4" thick uprights.
2. Extra deep vertical slot for total surface contact area when bending calf bands and better reach.
3. Horizontal slots to allow anterior / posterior bending of aluminum up to 3/16" thick.
4. Made from fully hardened tool steel to limit wear, powder coated to prevent rust & 5 year warranty

## Adjustable Safety Locking A-P Bar




**out of stock Order #: 141 Color : Silver ( Nickel )**

### Description

1. 34" length for increased leverage to bend with less effort without the need of an extension.
2. Made for 5/8" (16 mm) and 3/4" (19 mm) wide uprights and up to 1/2" (12.7 mm) thick steel.
3. Latch screw clamp to hold down uprights to limit twisting for a more precise / easier bend
4. Quick spin safety lock latch screw, which locks in one motion of a spin.
5. Silicone handle for better grip and control.
6. Made from a mixture of fully hardened tool steel to limit wear, nickel coated to prevent rust  
3 year warranty, but was made to last a lifetime.

## [1.25" X 27" Extended Dual Sided Riveting Bar](#)



**in stock Order#: 18**

**Color : Silver ( Nickel )**

**Attachments Not Included**


**Available in a Powdercoat finish of Various Colors**

### **Benefits**

1. Allows riveting with 2 people at once, and a 3d person with the use of the rivet die extension rod.
2. Long safety channels to fit vise jaws up to 1" wide, to prevent excess tilting and in / out adjustability.
3. Front cut out, making it easier to slide over pediatric devices for riveting.
4. Set screws to prevent rivet dies from falling out after riveting.
5. Copper belt rivet dommers in front of the bar for sizes # 10 and # 7.
6. Rivet punch / drill out hole in the front of the bar for knocking or drilling out rivets.
7. 5/8" horizontal cross hole to fit an adjustable rivet die extension rod, with the use of a die for riveting in hard to reach areas, and using a ball die for small AFO flares and easing out plastic.
8. 5/8" Vertical hole for a rivet die extension rod that can be set at various heights to allow riveting in deep footwear or other hard to reach areas.
9. The entire bar has been hardened to limit wear and dents to help keep its appearance over time, nickel coated to prevent rust, easy cleaning, and comes with a 10 year limited warranty but it was made to last a lifetime.



## [1.25" X 27" Extended Dual Sided Rotating Riveting Bar](#)




**in stock Order # 147**      **Color : Silver ( Nickel )**

- Same features as the 1.25" x 27" Dual Sided Riveting Bar with the addition of an adjustable vise clamp to fit vise jaws of any size.
- The rotation feature just gives an additional adjustment feature and can be used as a standard rivet bar
- The entire bar has been hardened to limit wear and dents to help keep its appearance over time, nickel coated to prevent rust, easy cleaning, and comes with a 10 year limited warranty but it was made to last a lifetime.

---

## [Rivet Die Extension Rod](#)



**in stock Order # 116**      **Color : Grey ( Discolored )**

- 12" in length and is made to go through all of our rivet bars and can be set at adjustable heights by placing a dowel pin through the cross holes, or it can be used on its own inside a vise to access hard to reach areas, as footwear, sockets,...
- Contains 1/4" holes on each end for placing in any of our rivet dies and ball dies and any other dies with a 1/4" post., plus 2 set screws for securing the dies.
- One of the 1/4" holes is also threaded for 5/16-NC in case you need to join multiple rods together, or other attachments that might suit your needs.
- Made from 316 Stainless Steel but got ruined esthetically during a hardening process but it is functional, it just does not look nice.

**1/4" Post Rivet Dies****in stock****Order # : 29**

1/4" Small Rivet Die  
For Size 00 and Similar

**in stock****Order # : 35**

3/4 x 5/8 Flat Rivet Die

**in stock****Order # : 112**

1/4 x 5/8 Speedy Rivet Die  
Custom Made For 89 & 91 Speedy Rivets  
Rivets Will Not Slide Off During Riveting

**in stock****Order # : 36**

1/4 x 3/4 Flat Rivet Die

**in stock****Order # : 30**

3/8 x 5/8 Speedy Rivet Die  
Custom Made For 89 & 91 Speedy Rivets  
Rivets Will Not Slide Off During Riveting

**in stock****Order # : 38**

5/8 x 3/4 Flat Rivet Die

**in stock****Order # : 31**

3/4 x 5/8 Speedy Rivet Die  
Custom Made For 89 & 91 Speedy Rivets  
Rivets Will Not Slide Off During Riveting

**in stock****Order # : 40**


3/4 x 5/32 Copper Rivet Domming Die  
For Copper Belt Rivets # 10

**in stock****Order # : 32**

1/4 x 5/8 Flat Rivet Die

**in stock****Order # : 41**

1 x 5/32 Copper Rivet Domming Die  
For Copper Belt Rivets # 10

**in stock****Order # : 33**

3/8 x 5/8 Flat Rivet Die

**in stock****Order # : 34**

5/8 x 5/8 Flat Rivet Die

All Rivet Dies are made from fully hardened tool steel so they will not deform and are made to last a lifetime

## Ball Dies



**in stock**

**Order # : 119**

**1.5" High, with 3/8" Ball**



**in stock**

**Order # : 43**

**1" Ball Die**



**in stock**

**Order # : 45**

**1-3/8" Ball Die**



**in stock**

**Order # : 44**

**1-1/4" Ball Die**



**in stock**

**Order # : 46**

**1-1/2" Ball Die**

## 4pc Ball Die Set



**in stock Order # : 48**

- These Ball Dies fit all of our rivet bars, rivet die extension rods, and other rivet bars containing a 1/4" hole.
- Can be used for riveting in contoured areas as, sockets, helmets, and certain areas of an AFO.
- Great for easing out plastic and small flares.
- Made from fully hardened tool steel, 10 year warranty but were made to last a lifetime.

## 12pc Rivet Die Set



**in stock Order # : 47**

- Mini rivet die 1/4" High for speedy rivets sized 00, similar
- Custom made speedy rivet dies 1/4", 3/8", 3/4" heights for 89x,91x, similar sized speedy rivet dies.
- 5/8" diameter flat rivet dies 1/4", 3/8". 5/8", 3/4" heights
- 3/4" diameter flat rivet dies 1/4", 5/8" heights
- #10 Copper belt rivet dommers 3/4", 1" heights
- Made from hardened tool steel and will not deform



**Quick Off Vacuum Jigs ( Bench Mount )**



**in stock Order # : 120-B ( Black Cone )**

**in stock Order # : 120-W ( White Cone )**

**Benefits**

1. Easily & Quickly remove your moldings, with only 3 fingers of force to loosen
2. No need to tape around pipe & glue foam collars
3. Never need to cut any moldings off including Duraflex and LDPE
4. Retains heat for a better seal and vacuum
5. Sliding T-handle never to get in the way of your moldings & has easy high leverage clamping
6. Coated to prevent rust, easy cleaning, and anti-wear, with a surface hardness of about 56 HRC
7. Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
8. Comes with 2-3/4" long, grade 8 hex bolts
9. 1 year warranty on cone, 10 year warranty on vacuum jig
10. Tested on: Duraflex, Polyethylene, Co-Polymer, Polypropolene, Pet-G, should be good for other plastics
11. Guaranteed to be the most efficient way to do your moldings and limits re-molds due to bad vacuum



**in stock Order # :131**

**Quick Off Vacuum Jig ( Vise Mount ) Benefits**


1. Perfectly Fits vise jaws of any size, just use longer screws through the vise clamp plate
2. Set a secure angle in the vise by adding a secondary plate and screwing 2 back screws over the vise jaws
3. Allows pipe to be moved or removed

## 1-Part-Clamp-Jig (1-PCJ) Bench Mount



**in stock Order # : 143**  
**Color : Silver ( Nickel )**

- Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
- Nickel coated to prevent rust, easy cleaning, anti-wear with a surface hardness of about 56 HRC
- Supplied with x4 2-3/4" long, grade 8 hex bolts
- 10 year warranty, but it should last a lifetime



**in stock Order # : 144**  
**Color : Silver ( Nickel )**


- Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
- Nickel coated to prevent rust, easy cleaning, anti-wear with a surface hardness of about 56 HRC
- Post for holding a utility knife, markers, or other small items
- Supplied with x4 2-3/4" long, grade 8 hex bolts
- 10 year warranty, but it should last a lifetime



**in stock Order # : 102 Color : Pink**

- Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
- Powder-coated to prevent rust
- Supplied with x4 2-3/4" long, grade 8 hex bolts
- 10 year warranty, but it should last a lifetime

## 1-Part-Clamp-Jig (1-PCJ) Vise Mount



**in stock Order # : 145**  
**Color : Silver ( Nickel )**

- Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
- Nickel coated to prevent rust, easy cleaning, anti-wear with a surface hardness of about 56 HRC
- Post for holding a utility knife, markers, or other items
- Safety channel for vise jaws up to 1" wide, to prevent it from sliding out from excess weight
- 10 year warranty, but it should last a lifetime


### [1-Part-Clamp-Jig \(1-PCJ\) Vise Mount](#)



- Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
- Powder-coated to prevent rust
- Post for holding a utility knife, markers, or other items
- Safety channel for vise jaws up to 1" wide , to prevent it from sliding out due to excess weight
- 10 year warranty, but it should last a lifetime

**in stock Order # : 146 Color : Pink**

### [3-Part-Clamp-Jig \(3-PCJ\) Vise Mount](#)



**out of stock**  
**Order # : 140**  
**Color : Silver ( Nickel )**

### **Benefits**

- Hold all necessary tools accessibly organized for shell removal after molding / laminating :
- Fein construction super cut or the 2014 Fein multi-master 350-Q ( Quick Start ) using a straight cutting blade
- Other hand tools : 2 screwdrivers, utility knife, small shears, pliers, mechanical grease pencils, pens, pencils, hammer
- Clamp round tubing 1/8" - 7/8", flat-bar up to 1" wide, square tubing and angle iron up to 3/4"
- Safety channel to fit vise jaws up to 1" wide, to prevent it from sliding out from too much weight
- Holds 3 Casts
- Nickel coated to prevent rust, easy cleaning, anti-wear with a surface hardness of about 56 HRC
- 10 year warranty, but it should last a lifetime



## Rostex Industrial Grade Precision Shears



### Description

**in stock Order # : 50**

- Quality shears made in the Czech Republic, from tool steel
- Used by certain shoemakers and custom orthotic and prosthetic facilities in Europe
- Cuts easily around difficult patterns where other shears won't
- Smoothly cuts thick leather up to 9/64" thick and 1/4" polyurethane rod used in AFO's
- Excellent for cutting around the entire trim-line of Duraflex SMO's

---

## 10" Industrial Grade Carbon Fiber Composite Shears



### Description

**in stock Order # : 53**

- Reputable Wilkinson shears from Sheffield England
- Made from high carbon tool steel
- Xylan non stick coating for easy cleaning, limit wear, reduce friction, and prevent rust
- Serrated blade to prevent materials from sliding off the blades
- Made specifically for cutting carbon fiber
- Available in other sizes, rounded tips, left or right handed and other grades for different materials
- Over 250 years of experience in scissors and shears
- Used for: Carbon Fiber Composites

---

## 10" Industrial Grade Kevlar Composite Shears



### Description

**in stock Order # : 123**

- Same Description as above with the exception of description below :
- Designed specifically for cutting Kevlar composites
- Used for: Carbon Fiber / Kevlar Composites

### [10" Industrial Grade Multi-Composite Shears](#)



**in stock Order # : 60**

#### Description

- Same description as above with the exception of description below :
- Designed for cutting a multiple variety of composites
- Used for: Carbon Fiber, Kevlar, and other similar composites
- Best one for cutting gel liners & Spectra Fiber

---

### [Leather Scissor Pouch for 8" & 10" Shears](#)



#### Description

- Quality made scissor pouch from England to help prevent shears from accidental damage and to keep them clean
- Makes transportation of shears more convenient & safe
- Slotted pouch to fit through belts to allow carrying

**in stock Order # 111**

---

### [4.5" Industrial Grade Multi-Composite Snips](#)



**in stock Order # : 64**

#### Description

- Serrated blade to prevent materials from sliding off
- Xylan non stick coating / rounded tips only
- Over 250 years of experience in scissors and shears
- Used for a variety of different Composites

---

### [9.5" High Leverage Heavy Duty Offset Shears \( For Carbon Fiber Plate & TFC \)](#)






**in stock Order # : 139**

#### Description

- Cuts up to 1.2 mm thick plate and allows easy turning during cuts
- Japanese steel with a serrated lower blade by KAI

## 3-PC Gauge Set



**in stock Order # : 98**

### **Blind Rivet Gauge ( Red )**

- Organize your blind rivets easily or use the gauge to determine plastic thickness sizes :  $3/32''$ ,  $1/8''$ ,  $5/32''$ ,  $3/16''$ ,  $1/4''$ , and use it to measure items up to  $5-1/4''$

### **Screw Gauge [Imperial / Metric ] ( White )**

- Organize your coarse & fine threaded screws number 0-12, &  $1/4''$ ,  $5/16''$ ,  $3/8''$ ,  $1/2''$ ,  $5/8''$ ,  $3/4''$   
Metric: M-1.6, M-2, M-2.5, M-3, M-4, M-5, M-6, M-8, M-10, M-12, M-14, M-16
- Flip the gauge over and use it as a drill and tap gauge with the ability to screw bolts/screws from both sides

### **Drill Gauge ( Blue )**

- The drill gauge is different than most, for example a  $1/2''$  hole is  $1/2''$ , it does not have the clearance for a loose fit which makes it great to figure out exact rod thickness
- Drill bits are checked from the shank instead of the tip which may cause it to get stuck
- Contains 32 holes from size  $1/16''$  -  $3/4''$ , that are clearly visible and includes measurements in millimeter equivalence, plus can be used to measure items up to  $7.5''$  / 190mm

## Pink Rubber High-Gloss Plaster Mixing Bowl




### Description

- Thicker wall so it isn't as flimsy
- Base is a little wider to limit tipping over
- Measuring lines inside the bowl

**in stock Order # : 95**



## Sliding Handle



**in stock Order # : 134**

### Benefits

- 3/8-16 Coarse threaded bolt, 5" long sliding handle to allow high torque clamping with minimal force, and for the handle to never get in the way of plastic during moldings
- Nickel coated to prevent rust, and anti-wear with a surface hardness of about 56 HRC
- 5 year warranty but was made to last a lifetime

## Drill Press Drill Out Jig



**in stock Order # : 49**

### Description

- Can be bolted or clamped on a drill press table or vise and extended to allow drilling out KAFO rivets for better control without interference
- Removable 1/2" mandrel for drilling out shoe caliper plates, and other devices where the standard drill press table is not suitable
- Can screw together other pipe fittings locally available for a preferred use
- 5 year warranty, coated to prevent rust, but it should last a lifetime

## Mechanical Grease Pencils



**in stock Order # : 50**

### Description

- The most durable & reliable grease pencils by Listo
- No more peeling
- The leads almost never break even when dropped
- Basic screw type mechanism to push out the lead
- Available in 7 colors
- 72 refill leads per box, being very cost effective



**2 mm Ball Hex Quick Turn ( Pico Finish )****in stock Order # : 904****Description**

- Fasten Tamarack screws about 3 x's faster
- For standard 2mm small joint screws
- Made in Germany by Wiha

**2.5 mm Ball Hex Quick Turn ( Pico Finish )****in stock Order # : 905****Description**

- Fasten Tamarack screws about 3 x's faster
- For standard 2.5mm medium / large joint screws
- Made in Germany by Wiha

**4mm Ball Hex Quick Turn ( Standard )****in stock Order # : 906****Description**

- Fasten ankle joint screws about 2 x's faster
- For standard 4mm ankle joint screws
- Made in Germany by Wiha


**Plastic Vacuum Jig Adapter Cone****in stock Order # : 124****Description**

- Replacement cone for quick off vacuum jigs and made to fit tubing with a 1.625" O.D.
- Attached by 4, 8-32 screws
- 1yr warranty, Color: White

**in stock Order # : 125****Description**

- Replacement cone for quick off vacuum jigs and made to fit tubing with a 1.625" O.D.
- Attached by 4, 8-32 screws
- 1yr warranty, Color: Black

**Multi-Bend & Clamp Jig (MBCJ) Vise**



**in stock Order #: 01**   **in stock Order #: 03**   **in stock Order #: 04**   **in stock Order #: 05**  
**Color: Black Oxide**   **Color: Text. Copper Vein**   **Color: Orange**   **Color: Pink**

**Heavy Duty M-L / A-P Bending Iron**



**Out of stock Order #: 06**   **in stock Order #: 08**   **in stock Order #: 09**

**1.25" X 27" Extended Dual Sided Riveting Bar**



**in stock Order #: 147**   **Color: Texture Black**   **in stock Order #: 148**   **Color: Pink**

**Clamping Jigs**



**in stock Order #: D1**

**in stock Order #: 12**   **in stock Order #: 115**

**in stock Order #: 13**  
**Color: Text. Copper Vein**

**in stock Order #: D2**

**KOVACIC ORTHOPEDIC TOOL & SUPPLY CORP.**

3910 ACORN CRES., WINDSOR ON, N8W 5R4, CANADA

269 WALKER ST., UNIT # 515, DETROIT MI, 48207, USA

TOLL FREE: 1-800-665-1176 FAX : 519-997-6894

E-Mail : [info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)**ORDER FORM**

DATE ( M/D/Y )	
PURCHASE ORDER	
ACCOUNT #	

**1. BILL TO :**  Use contact information from our e-mail / web**SHIP TO :**  Same as Bill To

BUYERS NAME		NAME	
COMPANY NAME		COMPANY NAME	
STREET ADDRESS		STREET ADDRESS	
CITY		CITY	
STATE / PROVINCE		STATE / PROVINCE	
ZIP / POSTAL		ZIP / POSTAL	
COUNTRY		COUNTRY	
PHONE & FAX		PHONE & FAX	
E-MAIL WEB		E-MAIL WEB	
TAX ID ( Only If Required )		TAX ID ( Only If Required )	

**2. ORDER INFORMATION :** Please Contact for Current Pricing. ( Volume / Distribution & Educational Discounts Available )

L.#	ORDER #	DESCRIPTION	UNIT PRICE	QTY	AMOUNT
1					
2					
3					
4					
5					
6					
7					
8					
<b>Shipping &amp; Taxes to be Determined on Invoice ( if applicable )</b>				<b>TOTAL</b>	

**3. METHOD OF PAYMENT :**

<input type="checkbox"/> Credit Account	Net 30 Days ( Please Complete Credit Account Application )
<input type="checkbox"/> <input type="checkbox"/> Visa <input type="checkbox"/> MasterCard <input type="checkbox"/> American Express	<input type="checkbox"/> By Fax To : 1- 519-997-6894 <input type="checkbox"/> On-line Invoice
<input type="checkbox"/> Pay-Pal ( no account needed )	Payment To : <a href="mailto:info@kovacicorthopedic.com">info@kovacicorthopedic.com</a>
<input type="checkbox"/> Electronic Fund Transfer ( EFT )	Determined by Location ( Please Contact )
<input type="checkbox"/> Wire Transfer ( WT )	Determined by Location ( Please Contact )
<input type="checkbox"/> Cheque	Made to : Kovacic Orthopedic Tool & Supply Corp.

**4. METHOD OF SHIPPING :**

- Most Economical  
 Use my Shipping Account  
 Select Preference Below

SHIPPER	PRIORITY
UPS	
USPS	
FEDEX	
DHL	
CANADA POST	
OTHER	

**5. CREDIT CARD AUTHORIZATION :**

Name on Card	
Credit Card #	
Expiry Date	
CVS # ( 3 digits on back )	
Signature	

**THANK-YOU FOR YOUR BUSINESS !****REFERENCE :**


**\$ 60 Minimum Order. All prices are in US Dollars and ship out of Detroit MI, with the exception of purchases made within Canada Plus Shipping / Handling, and applicable Taxes within Canada and the state of Michigan unless Exempt**

**If applicable Free Shipping is by Most Economical Methods**

**Consumers are Required to Remit Use Tax where Required by their State Law**

**KOVACIC ORTHOPEDIC TOOL & SUPPLY CORP.**

3910 ACORN CRES., WINDSOR ON, N8W 5R4, CANADA

269 WALKER ST., UNIT # 515, DETROIT MI, 48207, USA

TOLL FREE: 1-800-665-1176 FAX : 519-997-6894

E-Mail : [info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)**QUOTE**

DATE ( M/D/Y )	
QUOTE #	
VALID UNTIL	

1. BILL TO :  Use contact information from our e-mail / webSHIP TO :  Same as Bill To

BUYERS NAME		NAME	
COMPANY NAME		COMPANY NAME	
STREET ADDRESS		STREET ADDRESS	
CITY		CITY	
STATE / PROVINCE		STATE / PROVINCE	
ZIP / POSTAL		ZIP / POSTAL	
COUNTRY		COUNTRY	
PHONE & FAX		PHONE & FAX	
E-MAIL		E-MAIL	
WEB		WEB	
TAX ID ( Only If Required )		TAX ID ( Only If Required )	

## 2. PRODUCT INFORMATION :

 PLEASE INCLUDE A COMPLETE PRICE LISTING

L.#	ORDER #	DESCRIPTION	UNIT PRICE	QTY	AMOUNT
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					

## NOTE :

SUB-TOTAL	
SHIPPING	
TAX	
TOTAL	

THANK-YOU FOR YOUR BUSINESS !

## 4. METHOD OF SHIPPING :

- Most Economical  
 Use my Shipping Account  
 Select Preference

SHIPPER	PRIORITY
UPS	
USPS	
FEDEX	
DHL	
CANADA POST	
OTHER	

**\$ 60 Minimum Order. All prices are in US Dollars and ship out of Detroit MI, with the exception of purchases made within Canada Plus Shipping / Handling, and applicable Taxes within Canada and the state of Michigan unless Exempt**

**If applicable Free Shipping is by Most Economical Methods**

**Consumers are Required to Remit Use Tax where Required by their State Law**

## REFERENCE

**2016 CATALOG**

**REVISION : 1**



**ORTHOPEDIC TOOL & SUPPLY CORP.**

[www.kovacicorthopedic.com](http://www.kovacicorthopedic.com)

**CONTACT**

**1-800-665-1176**

**Mon.—Fri. 8am—4pm EST**

**[info@kovacicorthopedic.com](mailto:info@kovacicorthopedic.com)**